



## Instructions For Ordering Prescription Safety Eyewear

### A. Basic Program

1. Use one form for each pair of Safety Eyewear
2. Employee **ADVANCE-PAY** for progressive lenses -- **\$35.00.**  
**Fill in personal credit card information in space  
provided on order form and fax or mail to U.S.Safety.**

### B. Supervisor will fill in the following information:

1. Supervisors name, signature, outside phone number, NS Credit Card Number.
2. Employee name, employee number

### C. Employee will take Rx form & a copy of his/her prescription to a NS approved fitter for completion of Rx information.

1. Fitter should complete mailing address in the Box marked "ship to".
2. Fax or mail original to:

U.S. Safety  
Fax: 1-800-428-7304  
P.O. Box 15965  
Lenexa, KS 66285-5965

### D. US Safety will return the finished eyewear to the fitter listed on the order form.

### E. Employee will return the order form & packing slip to his/her Supervisor for reconciliation of credit card statement.

### F. To order more Rx Forms:

Fax request to:  
U.S. Safety  
1-800-252-5002  
Include company name, complete address,  
supervisors name and telephone number.



8101 LENEXA DRIVE P.O. BOX 15965 LENEXA, KS 66285-5965  
 913-599-5555 1-800-821-5218 Rx FAX 1-800-428-7304 In Kansas FAX 1-913-599-1703

**Bold Boxed Areas MUST Be Completed To Process This Order.**  
 PLEASE PRINT

**S** Name/Office \_\_\_\_\_

**H** Address \_\_\_\_\_

**I** City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

**EYEWEAR MUST SHIP BACK TO FITTER**

**B** Employee Name \_\_\_\_\_ Employee No. \_\_\_\_\_

**I** Norfolk Southern Supervisor Signature \_\_\_\_\_

**L** Contact Phone Number \_\_\_\_\_

**L** Card Holder Name \_\_\_\_\_ (please print)

Card Holder Signature \_\_\_\_\_

Card Number **X-X-X X** / - - - / - - - / - - - Exp. \_\_\_\_\_

<b>Lens Material</b> <b>PLASTIC</b> <small>Note: If polycarbonate is not available Optilite will be furnished</small>		<b>Clear</b>	<b>Tints (Specify Color):</b> <input type="checkbox"/> Gray 10% <input type="checkbox"/> Gray 40% <input type="checkbox"/> Gray 60%					
<b>Frame Style</b>		<b>Frame Color</b>	<b>Temple Length</b>					
<b>Eye Size</b>	<b>Bridge Size</b>	<b>Bridge Style</b> <input type="checkbox"/> Unifit <input type="checkbox"/> Adj. Pads	<b>Sideshields</b> <input checked="" type="checkbox"/> Permanent Flatfold					
<b>Sphere</b>		<b>Cyl.</b>	<b>Axis</b>	<b>Prism</b>				
<b>Base</b>		<b>Dec. (In-Out)</b>		<b>PD</b>				
<b>Distance</b>	R						Far	Near
	L							
<b>Near</b>	<b>Add</b>		<b>Seg Hgt</b>	<b>Seg Width</b>	<b>Bifocals</b> FLAT TOP  <input type="checkbox"/> 28 <input type="checkbox"/> 35		<b>Trifocals</b> FLAT TOP  <input type="checkbox"/> 8 x 28 <input type="checkbox"/> 8 x 35	
	R				<b>Double Segment</b> FLAT TOP  <input type="checkbox"/> 28 <input type="checkbox"/> 35			
L							<b>PROGRESSIVE</b>	

The "US" trademark on the lenses indicates compliance with the requirements of ANSI Z87.1 & ANSI Z80.1

<b>Co-Pay Employee Personal Credit Card: ( ) VISA ( ) MC</b>		<b>AMOUNT</b>
<b>Card Number</b> _____		
<b>Name on Card</b> _____		
<b>Expiration Date</b> _____		

<b>Doctor/Optician Name (Printed)</b> _____			<b>Address</b> _____		
<b>City</b> _____	<b>State</b> _____	<b>Zip</b> _____	<b>Date</b> _____	<b>Phone</b> _____	

<b>CUSTOMER I.D.</b> <b>740881-000-</b>	<b>INVOICE NUMBER</b> _____
--	--------------------------------

To Be Completed by Refractionist



# FRAME SELECTION GUIDE FOR NORFOLK SOUTHERN

<b>Newport</b>	Tortoise Antique Pewter	Eye Sizes - 49, 51 Bridge Sizes - 19, 21 Temples- 135, 140, 145 spring hinges adjustable nose pads Sideshields - Flatfold permanent	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>49.36</td> <td>41.52</td> <td>51.10</td> </tr> <tr> <td>51.25</td> <td>43.24</td> <td>52.66</td> </tr> </tbody> </table>	A	B	ED	49.36	41.52	51.10	51.25	43.24	52.66
A	B	ED										
49.36	41.52	51.10										
51.25	43.24	52.66										
<b>Roanoke</b>	Goldtone Gunmetal	Eye/Bridge Sizes - 52-19-140; 55-19-145 Temple Lengths - 140, 145 adjustable nose pads Sideshields - Flatfold permanent	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>51.55</td> <td>43.92</td> <td>55.80</td> </tr> <tr> <td>54.52</td> <td>46.38</td> <td>58.92</td> </tr> </tbody> </table>	A	B	ED	51.55	43.92	55.80	54.52	46.38	58.92
A	B	ED										
51.55	43.92	55.80										
54.52	46.38	58.92										
<b>Phoenix II</b>	Black	Eye/Bridge Sizes - 65-14 Temple Lengths - 135, 140 Sideshields - Flatfold permanent	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>65</td> <td>51.5</td> <td>68.5</td> </tr> </tbody> </table>	A	B	ED	65	51.5	68.5			
A	B	ED										
65	51.5	68.5										
<b>410</b>	Antique Brown Dark Gunmetal	Eye/Bridge Size - 50-20-140; 52-20-145 Temples - 135, 140, 145 adjustable nose pads Sideshields - Flatfold permanent	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>49.6</td> <td>34.3</td> <td>51.9</td> </tr> <tr> <td>52.7</td> <td>35.6</td> <td>54.7</td> </tr> </tbody> </table>	A	B	ED	49.6	34.3	51.9	52.7	35.6	54.7
A	B	ED										
49.6	34.3	51.9										
52.7	35.6	54.7										
<b>NS6</b>	Goldtone	Eye/Bridge Size - 52-22-140; 54-22-145 Temples - 135, 140, 145, 150 Comfort Cable - 145, 155, 160 adjustable nose pads Sideshields - Flatfold permanent	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>51.92</td> <td>47.65</td> <td>57.98</td> </tr> <tr> <td>54.27</td> <td>49.67</td> <td>54.94</td> </tr> </tbody> </table>	A	B	ED	51.92	47.65	57.98	54.27	49.67	54.94
A	B	ED										
51.92	47.65	57.98										
54.27	49.67	54.94										
<b>NS10</b>	Gunmetal	Eye/Bridge Size - 52-22-140; 54-22-145 Temples - 135, 140, 145, 150 Comfort Cable - 145, 155, 160 adjustable nose pads Sideshields - Flatfold permanent	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>51.15</td> <td>43.09</td> <td>54.26</td> </tr> <tr> <td>53.26</td> <td>44.70</td> <td>56.06</td> </tr> </tbody> </table>	A	B	ED	51.15	43.09	54.26	53.26	44.70	56.06
A	B	ED										
51.15	43.09	54.26										
53.26	44.70	56.06										
<b>OG34</b>	Brown Grey Demi Amber Blue/Mauve	Eye/Bridge Size - 50-19-140; 52-19-145 Temples - 140, 145 Spring Hinges Sideshields - Flatfold permanent	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>50.27</td> <td>43.93</td> <td>54.18</td> </tr> <tr> <td>52.88</td> <td>46.11</td> <td>56.88</td> </tr> </tbody> </table>	A	B	ED	50.27	43.93	54.18	52.88	46.11	56.88
A	B	ED										
50.27	43.93	54.18										
52.88	46.11	56.88										
<b>3003</b>	Blue Black	Eye/Bridge Size - 54-19 Temples - Duoflex® adjustable soft "comfort" cushion temples	<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>ED</th> </tr> </thead> <tbody> <tr> <td>54.0</td> <td>45.0</td> <td>62.0</td> </tr> </tbody> </table>	A	B	ED	54.0	45.0	62.0			
A	B	ED										
54.0	45.0	62.0										